

- 46 -

What is claimed is:

5 1. A method for improving production of
vanillin in cultured *Vanillin planifolia*, which
comprises:

Sub B >

10 a) providing a tissue culture of said
Vanilla planifolia; and
b) supplementing the culture with a
compound selected from the group consisting of malic
acid, 3,4-dihydroxybenzaldehyde, citric acid, pyruvic
acid, oxaloacetic acid, succinic acid, glycosylated
lysozyme, and any combination thereof, in an amount
effective to improve the vanillin production as compared
with cultures not supplemented with the compound.

15

15 2. The method of claim 1, wherein the tissue
culture is an embryo culture.

20

20 3. The method of claim 1, wherein the culture
is supplemented with malic acid at a concentration of
between about 0.01% and 5% by weight of the culture
medium.

25

25 4. The method of claim 3, wherein the culture
is subjected to mechanical shear stress for 21 days,
followed by addition of the malic acid at a concentration
of between about 1% and 3% by weight of the culture
medium.

30

30 5. The method of claim 1, wherein the culture
is supplemented with 3,4-dihyrdoxybenzaldehyde at a
concentration of between about 0.1 and 5 mM.

Sub B >

35

35 6. The method of claim 1, wherein the culture
is supplemented with about 0.01 to about 5% by weight of
a compound selected from the group consisting of succinic
acid, oxaloacetic acid, citric acid and pyruvic acid.

Sub C >

- 47 -

*Sub
61* >

7. The method of claim 1, wherein the culture is supplemented with about 1 to about 100 μ g/ml of a glycosylated lysozyme elicitor.

5 8. Cultured *Vanilla planifolia* cells, produced by the method of claim 1.

10 9. The cultured *Vanilla planifolia* cells of claim 8, which produce at least twice as much vanillin as equivalent cultured cells not supplemented with the compounds.

15 10. The cultured *Vanilla planifolia* cells of claim 8, which produce at least ten times as much vanillin as equivalent cultured cells not supplemented with the compounds.

20 12. A method for improving production of vanillin in cultured *Vanilla planifolia*, which comprises:
a) providing an embryo culture of said *Vanilla planifolia*; and
b) subjecting the culture to a stress condition selected from the group consisting of heat stress and mechanical shear stress, in an amount and for 25 a time effective to improve the vanillin production as compared with cultures not subjected to the stress condition.

30 13. The method of claim 12, wherein the heat stress comprises maintaining the cultures between about 33 and 37°C for between three and seven days.

35 14. The method of claim 12, wherein the mechanical shear stress is imposed by placing the cultures in an impeller-driven incubator, under conditions whereby the shear stress is caused.

SEARCHED
INDEXED
SERIALIZED
FILED

- 48 -

15. Cultured *Vanilla planifolia* cells, produced by the method of claim 12.

5 16. The cultured *Vanilla planifolia* cells of claim 15, which produce at least twice as much vanillin as equivalent cultured cells not subjected to the stress.

10 17. A method for improving vanillin production in *Vanilla planifolia*, which comprises genetically engineering the *Vanilla planifolia* to overproduce one or more enzymes associated with one or more steps of vanillin biosynthesis in the *Vanilla planifolia*, the steps selected from the group consisting of: chain shortening of p-coumaric acid to p-hydroxybenzaldehyde; 15 chain shortening of ferulic acid to vanillin; hydroxylation of p-hydroxybenzyl alcohol to 3,4-dihydroxybenzyl alcohol or aldehyde; and methylation of 3,4-dihydroxybenzaldehyde to vanillin.

20 18. The method of claim 17, wherein the enzymes are selected from the group consisting of: at least one p-hydroxybenzaldehyde synthase; at least one cytochrome p450 monooxygenase; and at least one methyl transferase.

25 19. The method of claim 17, wherein the genetically engineered *Vanilla planifolia* is a cell or tissue culture.

30 20. The method of claim 17, wherein the genetically engineered *Vanilla planifolia* is a whole plant.

35 21. A genetically engineered *Vanilla planifolia* cell produced by the method of claim 17.

- 49 -

22. The cell of claim 21, which produces at least twice as much vanillin as does an equivalent cell 5 which is not comparably genetically engineered.

23. A genetically engineered *Vanilla planifolia* plant, regenerated from the cell of claim 21.

10 24. The plant of claim 23, which produces at least twice as much vanillin as does an equivalent plant which is not comparably genetically engineered.

15 25. A method for improving vanillin accumulation in cell or tissue culture of *Vanilla planifolia*, which comprises inhibiting production or activity of vanillyl alcohol dehydrogenase in cells comprising the cell or tissue culture, the inhibition resulting in the improved vanillin accumulation.

20 26. The method of claim 25, wherein the inhibiting comprises genetically engineering the cells to inhibit expression of a gene encoding the vanillyl alcohol dehydrogenase.

25 27. A genetically engineered *Vanilla planifolia* cell or tissue culture produced by the method of claim 26.

30 28. The method of claim 25, wherein the inhibiting comprises treating the culture with an inhibitor of vanillyl dehydrogenase activity.

03262546 03262500

29. A method for improving vanillin production and accumulation in a *Vanilla planifolia* cell or tissue culture, which comprises:

a) genetically engineering the *Vanilla planifolia* to overproduce one or more enzymes associated with one or more steps of vanillin biosynthesis in the *Vanilla planifolia*, the steps selected from the group consisting of: chain shortening of p-coumaric acid to p-hydroxybenzaldehyde; chain shortening of ferulic acid to vanillin; hydroxylation of p-hydroxybenzyl alcohol to 3,4-dihydroxybenzyl alcohol or aldehyde; and methylation of 3,4-dihydroxybenzaldehyde to vanillin, thereby resulting in the improved vanillin production; and

b) inhibiting production or activity of vanillyl alcohol dehydrogenase in cells of the culture, thereby resulting in the improved vanillin accumulation.

30. A *Vanilla planifolia* cell or tissue culture produced by the method of claim 29.

09162526.052500

1A
2B
3C >